

PIONEER-1 Study: Patients with Optic Neuritis (ON)

Seeing patients with optic neuritis (ON) symptoms?



Red flag symptoms

- Ocular pain, worse with eye movement
- Sudden, unilateral vision loss
- Color vision loss
- Flashes of light (positive visual symptoms)
- Blurred vision to complete loss of vision

Patients with confirmed ON may be eligible for the PIONEER-1 study. Timely study referral is important.

The study drug is being developed for treating indications that may benefit from neuroprotection such as optic neuropathies, including ON.

Key inclusion criteria:

- Adults (18–50 years) with first ON episode in the study eye
 - Those with prior ON in fellow eye are eligible
- Unilateral vision loss in the past 12 days
- MRI confirming acute ON within 12 days of visual loss onset
- Patients with ON with or without multiple sclerosis may be eligible

Other inclusion and exclusion criteria apply.

Inform your patients with ON that PIONEER-1 study participants will receive the study drug (or placebo), standard-of-care intravenous methylprednisolone, study-related medical assessments, and close medical monitoring of their condition at no cost.

Please refer your patients with ON to the study site staff.



Dr. Rosa A. Tang
Dr. Jade S. Schiffman

Tel# 713-894-4393 (Mirna)

Fax# 832-787-0142

PIONEER

Privosegtor Investigation in Optic Neuropathies Efficacy Evaluation Research